

*Gardner's*  
PROVEN  
PRODUCTS

GARDNER WIRE COMPANY...CHICAGO, U.S.A.

Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Alan O'Bright

#9 \$5 1935

# **Important!**


## **PLEASE READ CAREFULLY**

This catalog illustrates and describes the entire line of Gardner Weather Strip products. The first section, catalog No. 333, is devoted to such Weather Strip items as are ordinarily stocked by the average hardware dealer. The second section, catalog No. 334, is confined to Metal Weather Strip equipment used by installing contractors, carpenters and weather strip mechanics. *In presenting this line of Metal Weather Strips, we are endeavoring to create a profitable source of new business for the hardware dealer.*

Our primary reason for issuing a catalog in looseleaf, was for the purpose of easily inserting additional sections, new items and price changes. While our complete Weather Strip line is contained herein, on or about January 1, 1936, we will present two additional sections covering our complete line of Coiled Wire Springs, Metal Bindings, Edgings and Hardware Specialties, together with current price lists. Both these catalogs will contain many new and interesting items that will be in real demand the coming year.

It has been our aim to produce the finest products in our field and still maintain an established policy of keeping prices on a competitive basis. We hope this catalog will prove helpful as well as a source of profit to you.

**GARDNER WIRE CO.**



PRICE LIST

*Effecting*

**Gardner's**

**CATALOG No. 333**

*Commercial*  
**WEATHER STRIPS**

*Issued AUGUST 15, 1935*

**GARDNER WIRE CO. . . . 5045 W. Lake St. Chicago**

## BROWN BEAR WEATHER STRIP

Page 2

Catalog Number	Price Per M Ft.
00	3/8x 1/2 inch, 7 foot lengths.....
01	3/8x 3/4 inch, 7 foot lengths.....
01 1/2	3/8x1 inch, 7 foot lengths.....
04	3/8x1 1/8 inch, 7 foot lengths.....
04	3/8x1 1/8 inch, 3 foot lengths.....

## WHITE BEAR WEATHER STRIP

Page 3

Catalog Number	Price Per M Ft.
00	3/8x1 1/2 inch, 7 foot lengths.....
01	3/8x 3/4 inch, 7 foot lengths.....
01 1/2	3/8x1 inch, 7 foot lengths.....
04	3/8x1 1/8 inch, 7 foot lengths.....
04	3/8x1 1/8 inch, 3 foot lengths.....

## HOLDFAST FELT AND WOOD WEATHER STRIP

Page 4

Catalog Number	Price Per M Ft.
70	3/8x 1/2 inch, 7 foot lengths.....
71	3/8x 3/4 inch, 7 foot lengths.....
71 1/2	3/8x1 inch, 7 foot lengths.....
74	3/8x1 1/4 inch, 7 foot lengths.....
74	3/8x1 1/4 inch, 3 foot lengths.....
75	3/8x1 1/2 inch, 7 foot lengths.....
75	3/8x1 1/2 inch, 3 foot lengths.....

## PACKAGE WEATHER STRIP

Page 5

Catalog Number	Price Per Gross
10	1 1/8x 1 1/8 in., 10 ft. sleeves, Osnaburg Center
10B	1 1/8x 1 1/8 in., 10 ft. sleeves, Burlap Base
15	1 1/8x 1 1/8 in., 15 ft. sleeves, Osnaburg Center
15B	1 1/8x 1 1/8 in., 15 ft. sleeves, Burlap Base
20	3/4x 1 1/8 in., 20 ft. sleeves, Osnaburg Center
20B	3/4x 1 1/8 in., 20 ft. sleeves, Burlap Base

Catalog Number	Price Per 100 Ft.
90	1/8x 1/2 in., 25 ft. boxes.....
95	1/8x 5/8 in., 25 ft. boxes.....
00	1/8x 3/4 in., 25 ft. boxes.....
50	1/8x1 in., 25 ft. boxes.....
55	1/8x1 1/4 in., 25 ft. boxes.....
60	1/8x1 1/2 in., 25 ft. boxes.....
90	1 1/8x 1/2 in., 25 ft. boxes.....
95	1 1/8x 5/8 in., 25 ft. boxes.....
00	1 1/8x 3/4 in., 25 ft. boxes.....
50	1 1/8x1 in., 25 ft. boxes.....
55	1 1/8x1 1/4 in., 25 ft. boxes.....
60	1 1/8x1 1/2 in., 25 ft. boxes.....
09X	1/8x 3/4 in., 10 ft. sleeves.....

## FIRM-FLEX GASKET WEATHER STRIP

Page 6

Catalog Number	Price Per M Ft.
46F	Maroon, 3/8x3/4 inch, 500 foot Reels.....
46F	Maroon, 3/8x3/4 inch, 100 foot Boxes.....
46FW	White, 3/8x3/4 inch, 500 foot Reels.....
46FW	White, 3/8x3/4 inch, 100 foot Boxes.....
47F	Maroon, 3/8x3/4 inch, 500 foot Reels.....
47F	Maroon, 3/8x3/4 inch, 100 foot Boxes.....
47FW	White, 3/8x3/4 inch, 500 foot Reels.....
47FW	White, 3/8x3/4 inch, 100 foot Boxes.....
45F	Maroon, 7/16x3/4 inch, 500 foot Reels.....
45F	Maroon, 7/16x3/4 inch, 100 foot Boxes.....
45FW	White, 7/16x3/4 inch, 500 foot Reels.....
45FW	White, 7/16x3/4 inch, 100 foot Boxes.....

## STORM SEAL AND WEATHER SEAL GASKET WEATHER STRIP

Page 7

Catalog Number	Price Per M Ft.
46	Maroon, 3/8x3/4 inch, 500 foot Reels.....
46	Maroon, 3/8x3/4 inch, 100 foot Boxes.....
46W	White, 3/8x3/4 inch, 500 foot Reels.....
46W	White, 3/8x3/4 inch, 100 foot Boxes.....
47	Maroon, 3/8x3/4 inch, 500 foot Reels.....
47	Maroon, 3/8x3/4 inch, 100 foot Boxes.....
47W	White, 3/8x3/4 inch, 500 foot Reels.....
47W	White, 3/8x3/4 inch, 100 foot Boxes.....
45	Maroon, 7/16x3/4 inch, 500 foot Reels.....
45	Maroon, 7/16x3/4 inch, 100 foot Boxes.....
45W	White, 7/16x3/4 inch, 500 foot Reels.....
45W	White, 7/16x3/4 inch, 100 foot Boxes.....

## WINDOW WEATHER STRIP SETS

Page 8

Catalog Number	Price Per Set
6	For Windows 2 1/2x5 feet.....
6A	For Windows 3 x6 feet.....

## DOOR WEATHER STRIP SET

Page 9

Catalog Number	Price Per Set
5	Universal for all doors, 3x7 feet.....

## CASEMENT WEATHER STRIP SET

Page 10

Catalog Number	Price Per Set
7	For Casements up to 2 1/2x5 feet.....

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

# Gardner's

## SPRING BRONZE

Page 11

Catalog Number		Price Per 100 Ft.
4000	3/4 inch wide.....	\$ 3.20
4000	1 inch wide.....	3.60
4000	1 1/8 inch wide.....	3.80
4000	1 1/4 inch wide.....	4.00
4000	1 3/8 inch wide.....	4.80
9000	3/4 inch wide.....	4.00
9000	1 inch wide.....	4.40
9000	1 1/8 inch wide.....	4.80
9000	1 1/4 inch wide.....	5.20
9000	1 3/8 inch wide.....	6.00
9000	1 1/2 inch wide.....	6.80

## BRASS AND FELT DOOR BOTTOMS

Page 12

Catalog Number		Price Per Dozen
73X	32 inch lengths.....	\$ 3.52
73X	36 inch lengths.....	3.96
73X	42 inch lengths.....	4.60
73X	48 inch lengths.....	5.28
73	32 inch lengths.....	4.48
73	36 inch lengths.....	5.04
73	42 inch lengths.....	5.88
73	48 inch lengths.....	6.72
304B	32 inch lengths.....	4.48
304B	36 inch lengths.....	5.04
304B	42 inch lengths.....	5.88
304B	48 inch lengths.....	6.72

## SPRING BRONZE DOOR BOTTOM

Page 13

Catalog Number		Price Per Dozen
239	32 inch lengths.....	\$ 2.88
239	36 inch lengths.....	3.24
239	42 inch lengths.....	3.78

## OUTSIDE AUTOMATIC DOOR BOTTOM

Page 13

Catalog Number		Price Each
294	32 inch lengths.....	\$ 6.00
294	36 inch lengths.....	6.00

(Continued on top of next column)

## OUTSIDE AUTOMATIC DOOR BOTTOM (Cont.)

Page 13

Catalog Number		Price Each
294	40 inch lengths.....	\$ 6.00
294	42 inch lengths.....	6.50
294	44 inch lengths.....	6.50

## BRASS KICK PLATES

Page 13

Catalog Number		Price Per Foot
296	8 inch widths.....	\$ 1.44
296	10 inch widths.....	1.92
296	12 inch widths.....	2.16
296	14 inch widths.....	2.52

## EXTRA WEATHER STRIP NAILS

Page 13

Catalog Number		Price Per Doz. Pkgs.
16	Coppered, 5/8x17, 1/8 lb. pkgs.....	\$0.80
17	Galvanized, 3/4x17, 1/8 lb. pkgs.....	.70
18	Round Head, Maroon, 1 oz. pkgs.....	.70
19	Round Head, White, 1 oz. pkgs.....	.70
20	Coppered, 3/4x17, 1/8 lb. pkgs.....	.70
21	Coppered, 7/8x17, 1/8 lb. pkgs.....	.60

## CAULKING COMPOUND

Page 14

Catalog Number		Price
24G	5 Gallon Cans.....	per gal. \$3.20
24G	1 Gallon Cans.....	per gal. 3.50
24G	1 Quart Cans.....	per gal. 4.40
24T	1 Gallon Cans.....	per gal. 4.00
24T	5 Pound Cans.....	per lb. .32
24T	1 Pound Cans.....	per lb. .40

## CAULKING GUNS

Page 14

Catalog Number		Price Each
25	Professional Caulking Gun.....	\$10.00
30	Premier Caulking Gun.....	1.90

## TERMS

Two Per Cent 10 days; Net 30 days.

All prices subject to change without notice.

TEAR ALONG THIS LINE

## DISCOUNT

**ALL PRICES SHOWN ARE SUBJECT TO A DISCOUNT OF FIFTY (50%) PER CENT**

## FREIGHT ALLOWED

on shipments weighing 100 pounds or over from Chicago to any town within the boundary of Omaha, Duluth, Memphis, Tenn., or Portland, Maine. Outside of boundary an allowance of \$1.00 per 100 pounds only will be made. No freight allowed on Express or Parcel Post orders.



## THE GOURMET

THE GOURMET is an American food magazine. It is  
published monthly by GOURMET FOODS INC.

1000 Avenue of the Americas, New York 36

# Gardner's

CATALOG No. 333

Commercial  
**WEATHER STRIPS**

GARDNER WIRE CO. . . 5045 W. Lake St. Chicago

# BROWN BEAR



No. 300



No. 301



No. 301 1/2



No. 304

## No. 300

### For Upper Sash of Windows

Size  $\frac{3}{8} \times 1\frac{1}{2}$ -inch, 7 foot lengths, packed 252 feet in carton, weight 10 lbs.

## No. 301

### For Windows

Size  $\frac{3}{8} \times 3\frac{3}{4}$ -inch, 7 foot lengths, packed 252 feet in carton, weight 13 lbs.

## No. 301 1/2

### For Sides and Tops of Doors

Size  $\frac{3}{8} \times 1$ -inch, 7 foot lengths, packed 252 feet in carton, weight 16 lbs.

## No. 304

### For Large Doors and Bottoms of Doors

Size  $\frac{3}{8} \times 1\frac{3}{8}$ -inch, 7 foot lengths, packed 252 feet in carton, weight 23 lbs.

### ALSO for Bottoms of Doors

3 foot lengths, 102 feet in carton, weight 8 lbs.

# Wood and Felt

## BROWN BEAR

is Rich Brown in color and not easily soiled by either exterior or interior elements.

## A SUPERIOR PRODUCT

### An Improved Product

Brown Bear or White Bear Weather Strips embody all the features of felt on wood and rubber on wood weather strips, with many added improvements. This is not accomplished by doing away with felt, as felt is the best insulator yet found, but by protecting the felt with a covering of soft, smooth, rubberized duck fabric that remains resilient and retains proper insulating values indefinitely.

This special rubberized duck fabric is waterproof and acts as an ideal covering to protect the felt. This is a great advantage over ordinary felt on wood weather stripping. The flexible rubberized duck covering with the felt filler does not harden nor lose its resiliency, which is the common fault of ordinary rubber on wood weather strip.

Brown Bear or White Bear Weather Strips are flexible enough to conform to the contours of old buildings, yet rigid enough to require nailing only every foot; thus eliminating endless stretching or tacking.

## Special Features on BROWN BEAR



Window Poster, size 13x5 inches, included with every carton of Brown Bear Weather Strip.

### Conveniently Packed

Brown Bear and White Bear Weather Strips are conveniently packed in lengths of seven feet, 252 feet to a carton. The carton keeps the stock clean and permits easier handling, eliminating any loss due to mark-downs made necessary by dirty or damaged stock.




### Our Exclusive Patent

Brown Bear and White Bear Weather Strips are not sold by any other weather strip manufacturer. Our patent re-issue 16770 thoroughly covers all the outstanding features of both Brown Bear and White Bear Weather Strips and cannot be duplicated.

### Fastest Seller

The recognized outstanding features of Brown Bear and White Bear Weather Strips have created such a demand, until today they are our greatest selling Wood and Felt Weather Strip. This tremendous volume has made it possible to offer Brown Bear and White Bear Weather Strips at the approximate low prices of ordinary weather strip.



Brown Bear and White Bear Weather Strips are perfect seals against cold, heat, dust and vermin. Installed easily on large and small doors.

# Fastest Selling

## Weather Strip

### WHITE BEAR

is preferably recommended for interior use where sanitary appearance is desired.

### AT A VERY LOW PRICE

#### Paints Well

Brown Bear or White Bear Weather Strips can be painted and varnished exceptionally well and will not lose their insulating qualities by becoming stiff and brittle when subject to extreme weather conditions.


#### Protected Against Moths

The outer rubberized covering on Brown Bear or White Bear Weather Strips prevents the destruction of felt by moths and other vermin.

#### Cleans Easily

The smooth rubberized covering cleans readily with a damp cloth, a feature unheard of in weather strips where felt or wool are exposed. It stops dust and dirt without collecting it.

## and WHITE BEAR Weather Strips



#### Saws Readily

Any ordinary saw will easily and quickly cut through Brown Bear or

#### More Economical

Brown Bear and White Bear Weather Strips are most economical. They cost little and outlast any ordinary type of weather strip, saving the nuisance and expense of installing new weather strip so frequently. They will reduce fuel bills by offering excellent protection against heat leakage and drafts at doors and windows.

#### More Easily Installed

Brown Bear and White Bear Weather Strips require no endless tacking, pulling or stretching to make a tight fit. Simply saw a strip to fit and nail on in a few moments. Only requires nailing about every foot; takes



## WHITE BEAR

### No. 400

#### For Upper Sash of Windows

Size  $\frac{3}{8} \times 1\frac{1}{2}$  inch, 7 foot lengths, packed 252 feet in carton, weight 10 lbs.



No. 400

### No. 401

#### For Windows

Size  $\frac{3}{8} \times 3\frac{1}{4}$  inch, 7 foot lengths, packed 252 feet in carton, weight 13 lbs.



No. 401

### No. 401 1/2

#### For Sides and Tops of Doors

Size  $\frac{3}{8} \times 1$  inch, 7 foot lengths, packed 252 feet in carton, weight 16 lbs.




No. 401 1/2

### No. 404

#### For Large Doors and Bottoms of Doors


Size  $\frac{3}{8} \times 1\frac{3}{8}$  inch, 7 foot lengths, packed 252 feet in carton, weight 23 lbs.



No. 404

#### ALSO for Bottoms of Doors

3 foot lengths, 102 feet in carton, weight 8 lbs.



No. 404



YOUR BOY CAN PUT IT ON

## Wood and Felt

# HOLDFAST WEATHER STRIP

### Gardner's Holdfast Wood and Felt Weather Strip Is True to Name

Made of stained clear white pine moulding and heavy all wool black felt. Special glue is used in contacting the felt and wood. Nail passes through both moulding and felt, thus insuring positive adhesion under all weather conditions. Compare the size and grade of our wood, the thickness and quality of our felt. *Avoid Imitations.*

FIVE SIZES AS LISTED BELOW ARE CARRIED IN STOCK TO MEET ALL REQUIREMENTS.



ACTUAL SIZE

**No. 470** For Upper Sash of Windows. Size  $\frac{3}{8} \times \frac{1}{2}$  inch, 7 foot lengths. Packed 250 feet in carton. Weight, 9 lbs.



ACTUAL SIZE

**No. 471** For Lower Sash of Windows. Size  $\frac{3}{8} \times \frac{3}{4}$  inch, 7 foot lengths. Packed 250 feet in carton. Weight, 12 lbs.



ACTUAL SIZE

**No. 471 1/2** For Sides and Tops of Doors. Size  $\frac{3}{8} \times 1$  inch, 7 foot lengths. Packed 250 feet in carton. Weight, 15 lbs.



ACTUAL SIZE

**No. 474** For Bottoms of Light Doors. Size  $\frac{3}{4} \times 1\frac{1}{4}$  inch, 7 foot lengths. Packed 250 feet in carton. Weight, 22 lbs.

**No. 474** 3 Foot Lengths. For Bottoms of Standard Doors. Packed 102 feet in carton. Weight, 8 lbs.



ACTUAL SIZE

**No. 475** For Bottoms of Heavy Doors. Size  $\frac{3}{8} \times 1\frac{1}{2}$  inch, 7 foot lengths. Packed 250 feet in carton. Weight, 24 lbs.

**No. 475** 3 Foot Lengths. For Bottoms of Standard Doors. Packed 102 feet in carton. Weight, 9 lbs.



### Window Poster

Size 13x5 $\frac{1}{2}$  inches, included with every carton of HOLDFAST WEATHER STRIP.

**WE DO NOT BREAK CARTONS**

# PACKAGE WEATHER STRIPS

## Gardner's *HOLDFAST* Package Weather Strip

### Heavy Brown Hair Felt



No. 410



No. 415



No. 420

**No. 410** Size  $\frac{11}{16}$  inch by 10 feet,  $\frac{3}{16}$  inch thick, in a Display Sleeve. 1 dozen packages in a display carton. 2 gross in a shipping carton. Weight, 60 lbs.

**No. 415** Size  $\frac{11}{16}$  inch by 15 feet,  $\frac{3}{16}$  inch thick, in a Display Sleeve. 1 dozen packages in a display carton. 1 $\frac{1}{2}$  gross in a shipping carton. Weight, 55 lbs.

**No. 420** Size  $\frac{3}{4}$  inch by 20 feet,  $\frac{3}{16}$  inch thick, in a Display Sleeve. 6 dozen packages in a shipping carton. Weight, 24 lbs.

## Gardner's Solid Felt Package Weather Strip

### Black Single Edge



Packed in convenient sized Display Boxes, 25 foot lengths complete with nails. Stocked in 6 SIZES and 2 THICKNESSES as follows:

**No. 390**  $\frac{1}{8}$  in. by  $\frac{1}{2}$  in.  
**No. 395**  $\frac{1}{8}$  in. by  $\frac{5}{8}$  in.  
**No. 400**  $\frac{1}{8}$  in. by  $\frac{3}{4}$  in.  
**No. 450**  $\frac{1}{8}$  in. by 1 in.  
**No. 455**  $\frac{1}{8}$  in. by  $1\frac{1}{4}$  in.  
**No. 460**  $\frac{1}{8}$  in. by  $1\frac{1}{2}$  in.

Average Weight per 100 Feet,  
 $1\frac{1}{2}$  lbs.

**No. 490**  $\frac{3}{16}$  in. by  $\frac{1}{2}$  in.  
**No. 495**  $\frac{3}{16}$  in. by  $\frac{5}{8}$  in.  
**No. 500**  $\frac{3}{16}$  in. by  $\frac{3}{4}$  in.  
**No. 550**  $\frac{3}{16}$  in. by 1 in.  
**No. 555**  $\frac{3}{16}$  in. by  $1\frac{1}{4}$  in.  
**No. 560**  $\frac{3}{16}$  in. by  $1\frac{1}{2}$  in.

Average Weight per 100 Feet,  
2 lbs.

## Gardner's Crack-Fill Package Weather Strip

### Grey Cotton Felt



No. 409X

**No. 409X** Size  $\frac{3}{4}$  inch by 10 feet in a Display Sleeve. Dark Grey Cotton Felt  $\frac{1}{8}$  inch thick. 1 dozen packages in a carton. 2 gross in shipping carton. Weight 26 lbs.

Patented

# Firm-Flex Gasket Weather Strip

© 1935 G.W.C.

The finest Gasket Weather Strip on the market, regardless of price. Ideal for all Weather Strip purposes as well as a perfect insulator for Refrigerators. The unique construction of Firm-Flex combining four different materials assures efficiency never before attained with this type of Weather Strip.

Firm-Flex Gasket Weather Strip is made of specially treated vermin-proof felt folded around a hempen core and tightly covered with a durable rubber coated fabric. The nailing flange is reinforced with a double thickness of water-proof fibre.

Firm-Flex

© 1935 G.W.C.


Open Tacking Flange



ACTUAL SIZE

**No. 46F** Maroon. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.

**No. 46FW** White. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.  
Shipping weight per 1,000 feet, 40 lbs.



Firm-Flex

© 1935 G.W.C.

Sanitary Tacking Flange



ACTUAL SIZE

**No. 47F** Maroon. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.

**No. 47FW** White. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.  
Shipping weight per 1,000 feet, 42 lbs.

Firm-Flex

© 1935 G.W.C.

Sanitary Tacking Flange



ACTUAL SIZE

**No. 45F** Maroon. Size  $\frac{7}{16} \times \frac{3}{4}$  inch.

**No. 45FW** White. Size  $\frac{7}{16} \times \frac{3}{4}$  inch.  
Shipping weight per 1,000 feet, 46 lbs.

## Superior Features of Firm-Flex Weather Strip

Easiest of all Gasket Weather Strips to apply. Remains pliant and flexible indefinitely. Will not wrinkle or buckle when applied. *Due to the reinforced nailing flange the strip lays flat and even; also permits closer fitting and requires less tacks.*

Firm-Flex is water-proof, weather-proof and vermin-proof.



Firm-Flex is sold in 500 foot Metal Reels and 100 foot Boxes as illustrated above. Display Reels are of sturdy all metal construction and are furnished without charge. Tacks for installation are included.

## Storm Seal and Weather Seal

# GASKET WEATHER STRIPS

### Storm Seal



ACTUAL SIZE

Two ply, double stitched, Open Tacking Flange, cotton yarn center, covered with Maroon or White rubber coated sheeting.  
**No. 46** Maroon. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.  
**No. 46W** White. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.  
 Shipping weight per 1,000 feet, 32 lbs.


Storm Seal and Weather Seal are especially designed to meet competitive requirements. An economical and easily installed strip that has many Weather Strip uses.

### Weather Seal



ACTUAL SIZE

Two ply, double stitched, Sanitary Tacking Flange, cotton yarn center, covered with Maroon or White rubber coated sheeting.  
**No. 47** Maroon. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.  
**No. 47W** White. Size  $\frac{3}{8} \times \frac{3}{4}$  inch.  
 Shipping weight per 1,000 feet, 34 lbs.



Made with a woven cotton yarn center, covered with rubber coated sheeting in either Maroon or White color. The only tools required for application are a tack hammer and a pair of ordinary shears.

### Weather Seal



ACTUAL SIZE

Two ply, double stitched, Sanitary Tacking Flange, cotton yarn center, covered with Maroon or White rubber coated sheeting.  
**No. 45** Maroon. Size  $\frac{7}{16} \times \frac{3}{4}$  inch.  
**No. 45W** White. Size  $\frac{7}{16} \times \frac{3}{4}$  inch.  
 Shipping weight per 1,000 feet, 38 lbs.




Storm Seal and Weather Seal Weather Strips are furnished in 500 foot Metal Reels or 100 foot Boxes as shown above. Tacks for installation are included.

## Metal Weather Strip

# WINDOW SETS

A complete Weather Strip equipment for double hung windows. The most convenient and simple method of supplying the trade. Gardner's Window Sets contain all necessary material, including nails and instructions, ready to hand to the customer.



Showing Application of Weather Strip Window Set

The Spring Bronze Metal used in Gardner's Window Sets is a special grade, highly tempered and guaranteed to give lasting and effective service. All strips have double hemmed edges, double corrugated contact points and are perforated for nailing. This construction assures an easy sliding window with positive Weather Strip contact at all points.



### Style A

Used at sides, top and bottom of the window. A perfectly designed strip to keep out cold air, rain and dust, yet simple to install by any home owner.

### Style B

Used *only* at the center or meeting rails of the window. Keeps out cold drafts but does not interfere with the operation of the lock.

### Gardner's Window Sets Can Be Installed Without Removing the Window


#### No. 6 Window Set—For windows 2½x5 feet.

Includes 6 pieces Style A—30 inches long  
1 piece Style B—30 inches long

#### No. 6A Window Set—For windows 3x6 feet.

Includes 6 pieces Style A—36 inches long  
1 piece Style B—36 inches long

*Note: For smaller windows, simply cut to desired length.*



Packed in neat, individual cartons.  
Shipping weight, per set, 1½ lbs.

**GARDNER WIRE CO. . . . CHICAGO**

## Metal Weather Strip DOOR SET

Gardner's Door Set meets the growing demand for a Weather Strip equipment that can easily be installed by the Home-Owner without special tools. Each set contains all necessary material for one door, including nails, screws and instructions.




Illustration shows installation of Weather Strip Door Set. This set can be used on all doors up to and including 3 x 7 feet.


A tack hammer and a pair of household shears are all the tools needed for the side and top strips while only a screw driver is necessary for the door bottom.



**Style A**  
Used on sides and top



**Style C**  
Used on bottom of door




**Lock Strip**  
Used to close opening around Lock Keeper

### Gardner's Door Set Can Be Installed Without Removing the Door

**No. 5** Door Set—for doors 3x7 feet. Each set contains:  
 4 pieces Style A 42 inches long  
 1 piece Style A 36 inches long  
 1 piece Style C 36 inches long  
 1 Lock Strip 8 inches long

*Note: For smaller than 3x7 feet, simply cut to desired length.*



Packed in neat, individual carton.

Shipping weight, 1 3/4 lbs.

## Metal Weather Strip

# CASEMENT SET

For Inswinging Casement Windows

(Patent Pending)





Illustration of No. 7 Casement Set installed. This set can be used on all single casement windows up to 2½ feet wide and 5 feet high.

Gardner's Casement Set with the highly effective bottom strip (Patent Pending) provides a positive method of making Casement or French Windows watertight. The first really satisfactory Casement Weather Strip Set that can be readily installed by an unskilled person without the use of special tools and WITHOUT REMOVING THE WINDOW. Each set contains all necessary material for one window, including nails and instructions.

The illustration shows the simplicity of installation as well as the complete protection given the window at all points. Note the original design of the bottom strip which is a combination of Water Drip and Flexible Metal Weather Strip.




Style A

Style D

**No. 7** Casement Set for windows up to 2½x5 ft. Each set contains: 2 pieces Style A 60" long  
1 piece Style A 30" long  
1 piece Style D 30" long

*Note: For casement windows smaller than 2½x5 feet, simply cut to desired length.*



Packed in neat, individual carton.

Shipping weight per set, 1¼ lb.

**GARDNER WIRE CO. . . . CHICAGO**

## Spring Bronze

# METAL WEATHER STRIPS

Gardner's Coiled Bronze Weather Strips are manufactured from the finest obtainable quality of Spring Bronze Metal. The high quality of this Bronze Metal assures a Weather Strip of enduring resiliency and effectiveness and under ordinary conditions will last as long as the building in which it is installed. Every possible precaution is taken in the manufacture of Gardner's Spring Bronze Weather Strips so that each coil is perfectly formed and can be easily installed without buckles or kinks.

### No. 4000 Double Hemmed Bronze

#### Corrugated and Perforated

Edges are double hemmed to prevent vibration and humming. Corrugated feature eliminates buckling or kinking of the strip. Nailing flange is perforated for ease of installation.



#### No. 4000

3/4 in. wide.....	Shipping weight 5 lbs.
1 in. wide.....	Shipping weight 5 1/4 lbs.
1 1/8 in. wide.....	Shipping weight 5 1/2 lbs.
1 1/4 in. wide.....	Shipping weight 6 lbs.
1 3/8 in. wide.....	Shipping weight 6 1/4 lbs.

Packed in handy cardboard carton, 100 feet coiled, with necessary nails.

### No. 9000 Double Hemmed Bronze

#### Super-lined and Perforated

A superior quality Spring Bronze Weather Strip for use where unusually heavy duty is required. No. 9000 Super-lined is formed of extra heavy bronze metal to withstand hard usage. Especially adaptable for public buildings. The special design of Super-lined Bronze insures a positive and lasting seal for double hung windows, casements and doors.



#### No. 9000

3/4 in. wide.....	Shipping weight 5 lbs.
1 in. wide.....	Shipping weight 5 1/2 lbs.
1 1/8 in. wide.....	Shipping weight 5 3/4 lbs.
1 1/4 in. wide.....	Shipping weight 6 1/4 lbs.
1 3/8 in. wide.....	Shipping weight 6 1/2 lbs.
1 1/2 in. wide.....	Shipping weight 6 3/4 lbs.

Packed in handy cardboard carton, 100 feet coiled, with necessary nails.

## Weather Strip DOOR BOTTOMS


Gardner's Felt and Metal Door Bottoms afford a simple and convenient method of excluding cold air, moisture and dust from coming in through the opening usually found under the average door. Strips are perforated with oval slotted holes which permit adjustment to compensate for wear.

**ALL DOOR BOTTOMS SUPPLIED IN 32, 36, 42 OR 48 INCH LENGTHS**  
**SPECIFY LENGTH DESIRED**




### No. 73X

An economical and effective Door Bottom—made of bright finished brass and treated felt to withstand the weather. Packed one dozen lengths in a tube, complete with brass screws. Approximate weight per dozen lengths, 5 lbs.



### No. 73

Constructed of heavy brass and treated felt—suitable for doors where heavy duty is required. Packed one dozen lengths in a tube, complete with brass screws. Approximate weight per dozen lengths, 6 lbs.




### No. 304B

Patented Under No. 16,770

Constructed of heavy brass and felt with a covering of soft rubberized duck fabric—a Door Bottom of superior quality. Packed one dozen lengths in a tube, complete with brass screws. Approximate weight per dozen lengths, 7 lbs.

# DOOR EQUIPMENTS




No. 239—Spring Bronze Door Bottom


An easily applied Metal Door Bottom that effectively keeps out cold air, rain and dust. Made of durable, rust-proof Spring Bronze Metal. Furnished in 32, 36 and 42 inch lengths. Packed in cardboard cartons, one dozen strips per carton. Approximate weight per carton, 3 lbs.

## Spring Bronze Door Bottom

**No. 239**



Application of No. 239 Door Bottom



No. 294



No. 296

## Extra Weather Strip Nails

Nails for Bronze Metal Weather Strip

**No. 16** Coppered, size  $\frac{5}{8} \times 17$ , 1 dozen  $\frac{1}{8}$ -lb. pkgs.

Nails for Zinc Metal Weather Strip

**No. 17** Galvanized, size  $\frac{3}{4} \times 17$ , 1 dozen  $\frac{1}{8}$ -lb. pkgs.

## Polished Brass Kick Plates

**No. 296**

Furnished in 8 in., 10 in., 12 in., 14 in. and 16 in. widths—any length desired. Highly polished and lacquered, drilled and including necessary Brass Screws.

Chromium Plated Kick Plates can be furnished on special order.

### Nails for Gasket Weather Strip

**No. 18** Round head, enameled, Maroon, 1 dozen 1-oz. pkgs.

**No. 19** Round head, enameled, White, 1 dozen 1-oz. pkgs.

### Nails for Wood Moulding Weather Strip

**No. 20** Coppered, size  $\frac{3}{4} \times 17$ , 1 dozen  $\frac{1}{8}$ -lb. pkgs.

**No. 21** Coppered, size  $\frac{5}{8} \times 17$ , 1 dozen  $\frac{1}{8}$ -lb. pkgs.

## Elastic

# CAULKING COMPOUND

Improves Every Weather Stripping Installation

*Easy to Apply*



Gardner's Caulking Compounds are manufactured from asbestos fibre combined with the finest grade of elastic oils and pigments. Positively guaranteed to be a durable water-proof product that will adhere equally well to brick, steel, wood or glass and will not crack or crumble away. Gardner's Caulking Compound is very easily applied either with hand caulking tools or with the Gardner Special Caulking Guns.

On all masonry buildings, cracks and crevices are to be found around frames of doors and windows; and are a source of leakage of air that cannot be checked by Weather Stripping. Caulking these openings with the proper type of Caulking Compound is the only solution.

### Gun Consistency

#### No. 24G

- 5 Gallon Steel Cans
- 1 Gallon Cans (6 to a case)
- 1 Quart Cans (24 to a case)



### Tool Consistency


#### No. 24T

- 1 Gallon Cans
- 5 Pound Cans
- 1 Pound Cans

Colors: Gray, White and Natural

NOTE: SPECIFY SIZE OF CONTAINER AND COLOR DESIRED.

## CAULKING GUNS



REGULAR SIZE  
Barrel: 2" x 10".  
Capacity: 31 cu. in.  
Equipped with  $\frac{1}{2}$ " nozzle.

### Professional Caulking Gun

#### No. 25

*The Finest on the Market*



### Premier Caulking Gun

#### No. 30

A low priced Gun that allows users of small quantities to obtain the benefits of pressure caulking at reasonable cost.

**GARDNER WIRE CO. . . . CHICAGO**


## Display Box, Boards and Models

The Display Boards and Models illustrated on this page are furnished FREE OF CHARGE with quantity orders as shown below each item. The attractive appearance of these Boards and Models will aid greatly in stimulating Weather Strip sales.




**No. 44**

DISPLAY BOARD FREE, on request, with initial order of Brown Bear Weather Strip, regardless of quantity.




**No. 40**

FREE HANDSOME DISPLAY BOX with orders for 500 feet or more of either No. 4000 or No. 9000.




**No. 60**

THREE-IN-ONE DISPLAY MODEL FREE with orders of Metal Weather Strip totaling \$25.00 or over.



**No. 62**




**No. 64**



**No. 66**

Your choice of MODELS No. 62, No. 64 or No. 66 FREE with orders of Metal Weather Strip totaling \$10.00 or over. (If No. 40 Display Box is desired with any Models shown an additional quantity of Metal Weather Strip totaling \$10.00 or more must be ordered.)



**No. 46**

DISPLAY BOARD FREE, on request, with initial order of Holdfast Weather Strip, regardless of quantity.



PRICE LIST  
*Effecting*

**Gardner's**  
CATALOG No. 334

*Contractor's* METAL  
WEATHER STRIPS

Issued AUGUST 15, 1935

**GARDNER WIRE CO. . . 5045 W. Lake St. Chicago**

*Phones Mansfield 2400-2401-2402*

# Gardner's

## ZINC RIB STRIPS

Page 4

Catalog Number		Price per foot
2-P	1 inch, Plain	\$0.04 1/2
4-P	1 1/8 inch, Plain	.05 1/2
5-P	1 1/2 inch, Plain	.06
6-P	1 3/4 inch, Plain	.06 1/2
7-P	2 1/8 inch, Plain	.07 1/2
4-C	1 1/8 inch, Corrugated	.05 1/2
5-C	1 1/2 inch, Corrugated	.06
6-C	1 3/4 inch, Corrugated	.06 1/2
6-CX	1 3/4 inch, Corrugated	.06 1/2
7-C	2 1/8 inch, Corrugated	.07 1/2

## MEETING RAIL STRIPS AND LINERS

Page 5

Catalog Number		Price per foot
213	Zinc Flat Strip	\$0.04 1/2
214	Zinc Hemmed Hook	.05
211	Zinc "J" Hook, Small	.03 1/2
212	Zinc "J" Hook, Large	.04 1/2
216	Zinc Liner Strip	.03 1/2
215	Zinc Liner Strip	.03 1/2

## CASEMENT EQUIPMENT

Page 6

Catalog Number		Price per foot
269	Zinc Channel, complete with No. 268 Hook and Screws	\$0.30
269	Zinc Channel, only	.22
268	Zinc Channel Hook only	.08
276	Zinc Drip Cap	.07
280	Zinc Sill Strip, complete with No. 281 Hook and Screws	.16
280	Zinc Sill Strip only	.12
281	Zinc Sill Hook only	.04

## INTERLOCKING STRIPS

Page 7

Catalog Number		Price per foot
235	Flexible Bronze Hook	\$0.08
236	Flexible Bronze El Rib	.06
218	Zinc El Rib	.04
226	Zinc Outside Interlocking Strip	.07

## DOUBLE DOOR EQUIPMENT

Page 7

Catalog Number		Price per foot
237	1/8x1/2 inch Brass Strips	\$0.24
238	4 inch Astragal Rubber	.20

## BRASS THRESHOLDS (Interlocking)

Including Hook and Screws

Page 8 and 9

Catalog Number		Price per foot
242	1 1/8 inch wide, 1/4 inch high	\$ 0.64
243	1 1/2 inch wide, 1/4 inch high	.72
245	1 3/8 inch wide, 1/4 inch high	.68
254	3 1/2 inch wide, 5/8 inch high	2.40
255	4 1/4 inch wide, 5/8 inch high	2.80
250	3 1/2 inch wide, 5/8 inch high	2.40
252	4 1/2 inch wide, 7/8 inch high	2.80
251	5 1/2 inch wide, 7/8 inch high	3.20
267	5 inch wide, 7/8 inch high	3.50

## BRASS THRESHOLDS (Plain)

Page 9

Catalog Number		Price per foot
257	3 inch wide, 5/16 inch high	\$ 1.44
258	4 inch wide, 1/2 inch high	1.92
259	5 inch wide, 1/2 inch high	2.24
260	6 inch wide, 1/2 inch high	3.00

## BRASS THRESHOLDS (Corrugated)

Page 9

Catalog Number		Price per foot
261	4 inch wide, 1/2 inch high	\$ 2.00
262	5 inch wide, 1/2 inch high	3.00
263	6 inch wide, 1/2 inch high	4.00

## DOOR BOTTOM HOOKS

Page 10

Catalog Number		Price per foot
229	Flexible Bronze Concealed Hook	\$ 0.12
234	Brass Surface Hook	.08
233	Brass Concealed Hook	.08
230	Heavy Brass Surface Hook	.12

## SPECIAL DOOR BOTTOMS

Page 11

Catalog Number		Price per foot
73	Heavy Brass and Felt Bottom	\$ 0.14
73X	Light Brass and Felt Bottom	.11
304B	Brass and Covered Felt Bottom	.14
202	Brass and Rubber Bottom	.24

## AUTOMATIC DOOR BOTTOM

Page 11

Catalog Number		Price Each
293	28 to 36 inch widths	\$ 3.00
293	38 to 44 inch widths	3.50

# Gardner's

## SPRING BRONZE IN COILS

Page 12

Catalog Number		Price per 100 ft.
4000	3/4 inch width.....	\$ 3.20
4000	1 inch width.....	3.60
4000	1 1/8 inch width.....	3.80
4000	1 1/4 inch width.....	4.00
4000	1 3/8 inch width.....	4.80
4000	1 1/2 inch width.....	5.20
8000	3/4 inch width.....	3.20
8000	1 inch width.....	3.60
8000	1 1/8 inch width.....	3.80
8000	1 1/4 inch width.....	4.00
8000	1 3/8 inch width.....	4.80
8000	1 1/2 inch width.....	5.20
9000	3/4 inch width.....	4.00
9000	1 inch width.....	4.40
9000	1 1/8 inch width.....	4.80
9000	1 1/4 inch width.....	5.20
9000	1 3/8 inch width.....	6.00
9000	1 1/2 inch width.....	6.80

Necessary nails included with each coil of Spring Bronze.

## SPRING BRONZE WEATHER STRIPS

Page 13

Catalog Number		Price per foot
222	Meeting Rail Strip, 3/4 inch wide.....	\$0.04
221	Meeting Rail Strip, 1 1/8 inch wide.....	.05
232	Parting Bead Strip.....	.06
223	Spring Bronze Strip.....	.06
266	Lock Strip, 8 inches long.....each	\$0.06
286	Cushion Bronze Strip.....	.07
231	Casement Bottom Strip.....	.16

TEAR ALONG THIS LINE

## DISCOUNT

**ALL PRICES SHOWN ARE SUBJECT TO A DISCOUNT  
OF FIFTY (50%) PER CENT**

## FREIGHT ALLOWED

on shipments weighing 100 pounds or over from Chicago to any town within the boundary of Omaha, Duluth, Memphis, Tenn., or Portland, Maine. Outside of boundary an allowance of \$1.00 per 100 pounds only will be made. No freight allowed on Express or Parcel Post orders.

## SPECIAL TOOLS

Page 14

Catalog Number		Price Each
1A	Grooving Plane .....	\$ 7.00
2B	1/2 inch Rabbet Plane.....	5.00
3B	3/4 inch Rabbet Plane.....	5.00
24	Saw Router .....	3.00
26	Weather Strip Hammer.....	2.50
25	Tinners Snip, 11 inch.....	2.50
27	6 inch Scratch Awl.....	1.00

## SASH PLUGS AND DUST BLOCKS

Page 14

Catalog Number		Price
291	Brass and Felt Sash Plugs, per gross.....	\$ 3.20
200	Brass and Felt Dust Blocks, per carton of 50 pairs.....	2.50

## NOTE

Prices shown on this list do not include nails, excepting 100 foot coils of Spring Bronze.

Screws required for Brass Thresholds, Casement Bottoms, etc., are furnished at no extra cost.

## TERMS

Two Per Cent 10 days; Net 30 days.

All prices subject to change without notice.

**ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE**



## OUR HISTORY

Founded in 1900, Globe is the oldest family-owned and  
operated tire company in the United States.

## OUR MISSION

Our mission is to provide the highest quality  
products and services to our customers.

•

**Gardner's**  
**CATALOG No. 334**

•

*Contractor's* **METAL**  
**WEATHER STRIPS**

**GARDNER WIRE CO. . . . 5045 W. Lake St. Chicago**

*Phones Mansfield 2400-2401-2402*

## Introductory

Only a few years ago Metal Weather Stripping was comparatively unknown and was not deemed highly essential in the average home. New developments such as air conditioning, thermostatically controlled heating, higher costs of ordinary fuels, etc., have changed this impression entirely. Metal Weather Strips are now specified in most of the important plans and the average home owner realizes the great importance of such equipment in his home. Fuel saving, ease of temperature control, comfort to the occupants and non-rattling of windows are only a few of the advantages gained by a good job of Metal Weather Stripping.

The GARDNER WIRE COMPANY since 1900 has featured quality products of various types. In introducing this new line of Metal Weather Strips, the highest engineering skill combined with modern manufacturing resources has resulted in a line of Weather Strip equipment for every type of opening that is as modern and efficient as is possible to produce. In every case our principal object has been to produce the finest possible equipment, affording the utmost in Weather Strip protection rather than to make material as cheaply as possible. To accomplish this end only the finest of non-rusting, non-corroding metals are used in the manufacture of GARDNER'S METAL WEATHER STRIPS.

GARDNER'S METAL WEATHER STRIPS are guaranteed against defects in material or manufacture for the life of the building in which they are installed. We will positively refund the entire amount paid for any order of GARDNER METAL WEATHER STRIPS that is not exactly as represented in this catalog.

## GENERAL INFORMATION

GARDNER'S Zinc Weather Strips are manufactured exclusively from Sheet Zinc with the grain running crosswise on each strip. This is commonly known as Cross Grained Zinc and is highly superior in many ways to the ordinary Ribbon Zinc. Cross Grained Zinc has greater tensile strength, greater rigidity and is not affected by extreme temperature changes. The longest length of Cross Grained Zinc that can be furnished is 60 inches due to the fact that mills cannot roll sheets wider than 60 inches. Where lengths longer than 60 inches are required, it is a very simple matter to splice two lengths.

The Spring Bronze Metal used in all GARDNER'S Flexible Strips is the finest grade obtainable. This Bronze is highly tempered which assures lasting resiliency as well as permanent Weather Strip efficiency.

GARDNER'S Brass Thresholds are made by the extrusion process, the method by which heated metal is forced through dies by tremendous hydraulic pressure. The result is a very dense, tough Brass which makes thresholds far stronger and more perfect than those made through some other process.

Cold Rolled Bronze, Sheet Brass, Aluminum, Sheet Steel and Stainless Steel are some of the other metals that we can roll to special order.

## ORDERING INFORMATION

GARDNER Metal Weather Strips are furnished only in even inches. For example: 32", 34", 36", etc. Therefore if a strip is desired for a window measuring 29 inches, it is necessary to order a 30" strip. While it is usually advisable to order the various kinds and lengths of strips wanted, we can also furnish standard Weather Strip equipment for any opening if we are given the proper measurements. To furnish your requirements, it is necessary that the following information accompany the order:

### DOUBLE HUNG WINDOWS

1. Width of sash or distance between frame.
2. Height of lower sash.
3. Height of upper sash.
4. Sash thickness (1 $\frac{3}{8}$ "-1 $\frac{3}{4}$ " or 2 $\frac{1}{4}$ ").

### DOORS

Furnish same information as required for casements, substituting threshold or special Bottom for trough or sill assembly.


### CASEMENT WINDOWS

1. Width (measure inside of frame).
2. Height (measure inside of frame).
3. Thickness of sash.
4. Single or double.
5. Inswinging or outswinging.
6. Bottom equipment wanted.


NOTE: Nails are not included with Metal Weather Strips excepting 100 ft. coils of Spring Bronze which include necessary nails.

Brass Thresholds, Zinc Channels and other special Bottoms are furnished complete with necessary screws.

Plain and Corrugated  
RIB STRIPS



Plain Rib Strip




Corrugated Rib Strip

**Gardner's Rib Strip Details**


GARDNER'S exclusive design of rib strip offers several improved features. The shoulders at the base of the rib prevent in-leakage at that point and impart a certain amount of flexibility to the strip itself. Corrugations are higher than on the average strip which means that packing strips will not be required excepting on extremely loose windows. Height of rib is  $\frac{1}{2}$ " and the standard groove of  $\frac{1}{2}$ " depth by  $\frac{5}{32}$ " width is recommended for proper installation.

The various numbers of strips shown below are standard, but we can furnish any width of rib strip desired on special order. This also applies to width of flanges.


**No. 2-P**  
1" wide.




**No. 4-C**  
 $1\frac{3}{8}$ " wide.




**No. 4-P**  
 $1\frac{3}{8}$ " wide.




**No. 5-C**  
 $1\frac{1}{2}$ " wide.




**No. 5-P**  
 $1\frac{1}{2}$ " wide.




**No. 6-C**  
 $1\frac{3}{4}$ " wide.




**No. 6-P**  
 $1\frac{3}{4}$ " wide.




**No. 6-CX**  
 $1\frac{3}{4}$ " wide.




**No. 7-P**  
 $2\frac{1}{8}$ " wide.




**No. 7-C**  
 $2\frac{1}{8}$ " wide.






Installation of Corrugated Rib Strip



Installation of Plain Rib Strip


## MEETING RAIL STRIPS AND LINERS




**No. 213** Flat Strip; 9 gauge Zinc,  $\frac{3}{4}$ " wide.




**No. 214** Hemmed Hook; 10 gauge Zinc,  $\frac{3}{4}$ " wide.




**No. 211** Small "J" Hook; 10 gauge Zinc,  $\frac{3}{4}$ " wide.



**No. 212** Large "J" Hook; 12 gauge Zinc,  $\frac{3}{4}$ " wide.




**No. 216** Liner Strip; 8 gauge Zinc,  $\frac{5}{16}$ " high.




**No. 215** Liner Strip; 8 gauge Zinc,  $\frac{7}{16}$ " high.


## FOR INSWINGING CASEMENT WINDOWS



**No. 269** Zinc Channel; 16 gauge Zinc,  $\frac{3}{4}$ " wide.



**No. 268** Zinc Hook. Used with No. 269 Channel; 12 gauge Zinc.



**No. 276** Drip Cap; 12 gauge Zinc.






Illustration of No. 269 Equipment and  
No. 276 Drip Cap Installed

## FOR OUTSWINGING CASEMENT WINDOWS



**No. 280** Zinc Sill; 15 gauge Zinc, 1" wide.



**No. 281** Zinc Hook. Used with No. 280 Zinc Sill; 12 gauge Zinc,  $\frac{3}{4}$ " wide.


## INTERLOCKING STRIPS




**No. 235** Flexible Bronze Hook; 30 B&S gauge,  $1\frac{1}{4}$ " wide.



**No. 236** Flexible Bronze El Rib; 31 B&S gauge,  $\frac{1}{2}$ " wide.



**No. 218** Interlocking Strip; 9 gauge Zinc,  $\frac{1}{2}$ " wide.




**No. 226** Outside Interlocking Strip; 12 gauge Zinc.

## Brass and Rubber Equipment for Double Doors and Door Bottoms

A superior equipment for the centers of double doors, both single and double acting. Can also be used effectively for door bottoms.

Brass Strips are furnished with countersunk holes, complete with necessary brass screws.




Door Bottom Installation



Center of Double Doors


**No. 237**  $\frac{1}{8}$ " x  $\frac{1}{2}$ " solid brass strips.

**No. 238** 4" wide reinforced Astragal Rubber.




Double Door Installation


## **INTERLOCKING BRASS THRESHOLDS**




**No. 242**  
1 1/8" wide, 1/4" high.




**No. 243**  
1 1/2" wide, 1/4" high.



**No. 245**  
1 3/8" wide, 1/4" high.




**No. 254** 3 1/2" wide, 5/8" high.  
**No. 255** 4 1/4" wide, 5/8" high.



**No. 250** 3 1/2" wide, 5/8" high.  
**No. 252** 4 1/2" wide, 5/8" high.  
**No. 251** 5 1/2" wide, 5/8" high.

Brass Thresholds shown on this page are furnished highly polished, lacquered, drilled and with necessary hook and screws. Lengths can be supplied up to 12 ft. long, cut on the even inch.

## **WATERPROOF BRASS THRESHOLD**




**No. 267**

5" wide,  $\frac{7}{8}$ " high.

A truly waterproof Brass Threshold. Combined with No. 229 interlocking hook, this threshold assures the maximum weather protection for exposed doors.

## **PLAIN BRASS THRESHOLD**




**No. 257** 3" wide,  $\frac{5}{16}$ " high.

**No. 258** 4" wide,  $\frac{1}{2}$ " high.

**No. 259** 5" wide,  $\frac{1}{2}$ " high.

**No. 260** 6" wide,  $\frac{1}{2}$ " high.

## **CORRUGATED BRASS THRESHOLD**



**No. 261** 4" wide,  $\frac{1}{2}$ " high.

**No. 262** 5" wide,  $\frac{1}{2}$ " high.

**No. 263** 6" wide,  $\frac{1}{2}$ " high.

Brass Thresholds shown on this page are furnished highly polished, lacquered, drilled and with necessary screws. Lengths can be supplied up to 12 ft. long, cut on the even inch.


## DOOR BOTTOM INTERLOCKING HOOKS




**No. 229** Flexible Bronze Concealed Hook;  
31 B&S gauge, 1 $\frac{1}{4}$ " wide.

(Patented)


The most effective interlocking hook for Brass Thresholds on the market. Patented design excludes cold air, moisture and dust completely. Perforated for nailing.



**No. 234** Brass Surface Hook; 22 B&S gauge.




**No. 233** Brass Concealed Hook; 24 B&S gauge,  $\frac{7}{8}$ " wide.



**No. 230** Heavy Brass Surface Hook; 17 B&S gauge. A substantial surface hook with countersunk holes for brass screws. This hook is especially designed for attractiveness of appearance as well as durability.

Either of Hooks No. 233 or No. 234 will be furnished with Brass Thresholds at no extra charge. If patented Hook No. 229 or No. 230 Surface Hook are desired, please specify when ordering Thresholds. Extra charge for these Hooks is shown on price list.



Installation of No. 229 Hook with No. 252 Brass Threshold

## SPECIAL DOOR BOTTOM STRIPS



**No. 73** Brass and Felt Door Bottom; 22 B&S gauge,  $\frac{3}{16}$ " thick black felt.



**No. 73X** Brass and Felt Door Bottom; 26 B&S gauge,  $\frac{5}{8}$ " thick black felt.



**No. 304B** Door Bottom; 22 B&S gauge Brass,  $\frac{3}{16}$ " felt covered with rubberized fabric.



**No. 202** Brass and Rubber Door Bottom; 22 B&S gauge Brass, heavy reinforced rubber.


## GARDNER AUTOMATIC DOOR BOTTOM

A high grade Automatic Door Bottom constructed of substantial, chemically treated felt and heavy galvanized iron. End plate made of polished brass. The installation is quite simple as only a straight groove on the bottom of the door is required. Furnished in even inch lengths from 28" to 44" long.



**No. 293** Automatic Door Bottom

# SPRING BRONZE IN COILS



## No. 4000

An economical Spring Bronze adaptable for casements and doors. Corrugated feature gives extra stiffness and prevents kinking or buckling when installed. Furnished in all widths, double hemmed edges, perforated for nailing and complete with necessary nails.


$\frac{3}{4}$ " width, 32 B&S gauge.....	100 ft. coils only
$1$ " width, 32 B&S gauge.....	100 ft. coils only
$1\frac{1}{8}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{1}{4}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{3}{8}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{1}{2}$ " width, 31 B&S gauge.....	100 ft. coils only



## No. 8000

A plain double hemmed Spring Bronze that is preferred by many installers. Furnished in all widths, perforated for nailing and complete with necessary nails.

$\frac{3}{4}$ " width, 32 B&S gauge.....	100 ft. coils only
$1$ " width, 32 B&S gauge.....	100 ft. coils only
$1\frac{1}{8}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{1}{4}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{3}{8}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{1}{2}$ " width, 31 B&S gauge.....	100 ft. coils only



## No. 9000


A heavy duty Spring Bronze especially designed for use on doors in public buildings and institutions where a great deal of service is expected. Made of heavy gauge, highly tempered spring bronze. Furnished in all widths, double hemmed edges, perforated for nailing and complete with necessary nails.

$\frac{3}{4}$ " width, 32 B&S gauge.....	100 ft. coils only
$1$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{1}{8}$ " width, 31 B&S gauge.....	100 ft. coils only
$1\frac{1}{4}$ " width, 30 B&S gauge.....	100 ft. coils only
$1\frac{3}{8}$ " width, 30 B&S gauge.....	100 ft. coils only
$1\frac{1}{2}$ " width, 30 B&S gauge.....	100 ft. coils only

## SPRING BRONZE WEATHER STRIPS




**No. 222** Bronze Meeting Rail Strip; 32 B&S gauge,  $\frac{3}{4}$ " wide. Perforated for nailing. Furnished in any length up to 12 feet.



**No. 221** Bronze Meeting Rail Strip; 32 B&S gauge,  $1\frac{1}{8}$ " wide. Perforated for nailing. Furnished in any length up to 12 feet.




**No. 232** Parting Bead Strip; 32 B&S gauge Spring Bronze. A simple but effective strip for the sides of double hung windows. Nailed on parting bead the full length of the window. To install, only the lower sash need be removed. Perforated for nailing. Furnished only in lengths of 5, 6 and 7 feet.



**No. 223** Spring Bronze Strip; 31 B&S gauge,  $1\frac{1}{4}$ " wide. Adaptable for use on double hung windows, casements or doors. Perforated for nailing. Furnished in any length up to 12 feet.



**No. 266** Lock Strip. Furnished only in 8 inch lengths.



**No. 286** Cushion Bronze Strip; 32 B&S gauge,  $\frac{5}{8}$ " wide. This strip is particularly adaptable for the centers of double casements. Furnished in any length up to 12 feet.



**No. 231** Bronze Casement Bottom Strip; 31 B&S gauge. (Patented)

This Patented Weather Strip is designed for the bottoms of inswinging casement windows and combines a flexible Weather Strip with an effective rain drip. This equipment is very easy to install as it is not necessary to remove the window and no special rabbeting is required. Perforated for nailing. Furnished in any length up to 12 feet.

## Special Tools for Weather Strip Installation



**Grooving Plane No. 1-A** This tool cuts a clean groove  $\frac{1}{2}$ " deep. The standard adjustment is so that center of groove will be  $\frac{3}{8}$ " from edge of wood. The guide is adjustable. Furnished with  $\frac{3}{2}$ " bit.



**1/2" Rabbet Plane No. 2-B** Cuts  $\frac{1}{2}$ " rabbet smoothly and squarely without clogging. Can also cut  $\frac{5}{16}$ " rabbets with smaller bit.




**3/4" Rabbet Plane No. 3-B** For cutting rabbets  $\frac{3}{4}$ " wide. Has same features as the  $\frac{1}{2}$ " plane.




**No. 24 SAW ROUTER**

Used for kerfing grooves in Parting Strip, Stool or Blind Stop.



**No. 26** Special Weather Strip Claw Hammer.



**No. 25** 11" Tinners Snips.




**No. 27** 6" Scratch Awl.

## SASH PLUGS AND DUST BLOCKS



**No. 291**

Brass and Felt Sash Plug. Packed in 1 gross cartons.



**No. 200**

Brass and Felt Dust Blocks. Packed 50 pairs in a carton.

## ESTIMATING TABLES

These tables are used for quickly estimating the footage of Weather Strips needed in double hung windows of various sizes when both sash are same size. EXAMPLE—Sash 36" wide, each sash 36" high, requires 21 ft. of Weather Strips.

We recommend using the tables for rough estimates only since the footage of different priced strips should be figured separately to arrive at the exact cost.

Only Accurate When Both Sash Appear Same Size

### HEIGHT OF BOTTOM SASH—INCHES

Width of Sash	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
	ft. in.														
12	7	7	8	8	9	9	10	11	12	13	13	14	15	15	16
14	7	6	8	2	8	10	9	6	10	11	6	12	14	15	8
16	8	8	8	9	4	10	10	8	11	4	12	12	14	15	6
18	8	6	9	2	9	10	10	6	11	2	11	10	12	15	4
20	9	9	8	10	4	11	8	12	4	13	8	14	4	16	4
22	9	6	10	2	10	10	11	6	12	2	10	14	10	17	6
24	10	10	8	11	4	12	8	13	4	14	8	15	4	18	8
26	10	6	11	2	11	10	12	6	13	2	10	14	6	15	2
28	11	11	8	12	4	13	8	14	4	15	8	16	4	17	8
30	11	6	12	2	12	10	13	6	14	2	10	15	6	18	2
32	12	12	8	13	4	14	8	15	4	16	8	17	4	19	8
34	12	6	13	2	13	10	14	6	15	2	10	16	6	17	2
36	13	13	8	14	4	15	8	16	4	17	8	18	4	19	8
38	13	6	14	2	14	10	15	6	16	2	10	17	6	20	2
40	14	14	8	15	4	16	8	17	4	18	8	19	4	20	2
42	14	6	15	2	15	10	16	6	17	2	10	18	6	19	2
44	..	15	8	16	4	17	8	18	4	19	8	20	4	21	8
46	..	16	2	16	10	17	6	18	2	10	19	6	20	2	24
48	..	..	..	17	4	18	8	19	4	20	8	21	4	22	8
50	..	..	..	17	10	18	6	19	2	10	20	6	21	2	23
52	..	..	..	..	..	19	8	20	4	21	8	22	4	23	8
54	..	..	..	..	..	19	6	20	2	20	10	21	6	22	2
56	..	..	..	..	..	20	8	21	4	22	8	23	4	22	8
58	..	..	..	..	..	21	2	21	10	22	6	23	2	25	10
60	..	..	..	..	..	..	22	4	23	8	24	4	25	8	26
62	..	..	..	..	..	..	22	10	23	6	24	2	25	6	26
64	..	..	..	..	..	..	23	4	24	8	25	4	26	8	27
66	..	..	..	..	..	..	23	10	24	6	25	2	25	10	27
68	..	..	..	..	..	..	..	25	8	26	4	27	8	28	4
70	..	..	..	..	..	..	..	25	6	26	2	26	10	29	6
72	..	..	..	..	..	..	..	26	8	27	4	28	8	29	4
74	..	..	..	..	..	..	..	26	6	27	2	27	10	28	6

### HEIGHT OF BOTTOM SASH—INCHES—Continued

Width of Sash	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
	ft. in.															
12	17	17	18	18	19	19	20	21	22	23	23	24	25	25	26	4
14	17	6	18	2	18	10	19	6	20	2	20	10	21	6	22	6
16	18	..	18	8	19	4	20	..	20	8	21	4	22	..	24	6
18	18	6	19	2	19	10	20	6	21	2	21	10	22	..	26	6
20	19	..	19	8	20	4	21	..	21	8	22	4	23	..	25	4
22	19	6	20	2	20	10	21	6	22	2	22	10	23	6	24	2
24	20	..	20	8	21	4	22	..	22	8	23	4	24	..	26	2
26	20	6	21	2	21	10	22	6	23	2	23	10	24	6	25	..
28	21	..	21	8	22	4	23	..	23	8	24	4	25	..	27	4
30	21	6	22	2	22	10	23	6	24	2	24	10	25	6	28	2
32	22	..	22	8	23	4	24	..	24	8	25	4	26	..	28	4
34	22	6	23	2	23	10	24	6	25	2	25	10	26	6	27	2
36	23	..	23	8	24	4	25	..	25	8	26	4	27	..	29	4
38	23	6	24	2	24	10	25	6	26	2	26	10	27	6	30	2
40	24	..	24	8	25	4	26	..	24	8	25	4	26	..	32	4
42	24	6	25	2	25	10	26	6	27	2	27	10	28	6	33	2
44	25	..	25	8	26	4	27	..	27	8	28	4	29	..	31	4
46	25	6	26	2	26	10	27	6	28	2	28	10	29	6	32	2
48	26	..	26	8	27	4	28	..	28	8	29	4	30	..	33	4
50	26	6	27	2	27	10	28	6	29	2	27	10	30	6	35	2
52	27	..	27	8	28	4	29	..	29	8	30	4	31	..	33	4
54	27	6	28	2	28	10	29	6	30	2	30	10	31	6	36	2
56	28	..	28	8	29	4	30	..	30	8	31	4	32	..	38	4
58	28	6	29	2	29	10	30	6	31	2	31	10	32	6	33	2
60	29	..	29	8	30	4	31	..	31	8	32	4	33	..	35	4
62	29	6	30	2	30	10	31	6	32	2	32	10	33	6	36	2
64	30	..	30	8	31	4	32	..	32	8	33	4	34	..	38	4
66	30	6	31	2	31	10	32	6	33	2	33	10	34	6	37	2
68	31	..	31	8	32	4	33	..	33	8	34	4	35	..	38	4
70	31	6	32	2	32	10	33	6	34	2	34	10	35	6	39	2
72	32	..	32	8	33	4	34	..	34	8	35	4	36	..	40	4
74	32	6	33	2	33	10	34	6	35	2	35	10	36	6	41	2





